

ADDENDUM

Addendum No. 1

Owner: City of Owosso
Project: Demolition 424 Grover Street Bid
Engineer: City of Owosso

NOTICE TO ALL PROSPECTIVE BIDDERS

BIDS DUE: 10/22/2019

=====

This Addendum is a part of the Contract Documents and modifies the previously issued Bidding Documents. Acknowledge receipt of this Addendum in the space provided on the *Signature Page and Legal Status* section of the Bid Proposal. Failure to do so may result in rejection of the Bid.

NO. 1: General Specifications

Section: Description of Work

Item G: The backfill will be of clay soil, compacted to a density of 90% T-99 designation. The contractor will have an independent testing agency test the backfill. A minimum of two passing test at various depth will be taken and furnished the owner. The cost of testing will be incidental to the cost of the backfill. Site restoration shall consist of fine grading the site to ensure positive drainage and conform to the surrounding sites. Apply four inches of topsoil and hydro seed all bare earth areas.

Replace with the following:

Item G: The backfill will be, **Class II Fill Sand**, compacted to a density of 90% T-99 designation. The contractor will have an independent testing agency test the backfill. A minimum of two passing test at Various depth will be taken and furnished by the owner. The cost of testing will be incidental to the cost of the backfill. Site restoration shall consist of fine grading the site to ensure positive drainage and conform to the surround sites. Apply **SIX (6) inches** of topsoil and hydro seed all bare earth areas.

I acknowledge receipt of Addendum No. 1.

(PLEASE TYPE OR PRINT BELOW)

LEGAL NAME OF BIDDER: _____

MAILING ADDRESS: _____

CITY, STATE, ZIP: _____

TELEPHONE NUMBER _____ EMAIL I.D. _____ FAX # _____

BY: SIGNATURE: _____

OF AUTHORIZED REPRESENTATIVE

NAME (typed/printed) _____ TITLE: _____

END OF ADDENDUM NO. 1